

# 05 PHOTO STUDIO



**\$831** / set  
on P298



**\$898** / set  
on P296



**\$448** / set  
on P299



**\$1,896** / set  
on P301



**\$134** / set  
on P306



**\$14** / set  
on P308



**\$398** / set  
on P309

## P296 | Book Binding Machine

- P296 | Photo book station
- P297 | Perfect binding machine
- P299 | Book hard cover maker
- P301 | Electric guillotine paper cutter

## P302 | Book Binding Auxiliary Device

- P302 | Book pressing machine
- P303 | Joint pressing machine
- P304 | Paper creasing machine

## P306 | Photo & Card Cutter

## P309 | Laminator

## P310 | Photo Studio Supplies

- P310 | Photo paper
- P311 | Photo laminating film

## SIC-HY-PBS Series All - in - one Photo Book Station with Foot Switch

- Suitable for making album, menu, double - page of hard cover binding and other kinds of individualized photo albums, etc.
- Compactly designed, all in one only solution with little dimensions, friendly to be used and maintained.
- Creasing, gluing, butterfly binding, nipping in one machine.
- Manual creasing machine, to crease photos in order to make the opening easier.
- Motorized gluing machine, to glue photos.
- Table for book - assembling, to couple photos and to form the album.
- Press for glue - drying.
- Fast and easy to operate.

### ▼ Specifications

Model	SIC-HY-PBS18	SIC-HY-PBS18Q
Operation Mode	Manual	Pneumatic
Creasing Width	460mm (18")	460mm (18")
Gluing Width	500mm (20")	500mm (20")
Maximum Size	500mm (20")	500mm (20")
Maximum Flatten Area	350mm x 470mm (14" x 18")	350mm x 470mm (14" x 18")
Maximum Flatten Height	80mm (3")	80mm (3")
Occupy Space	1000mm x 1100mm (1.1m <sup>2</sup> ) (39" x 43")	1000mm x 1100mm (1.1m <sup>2</sup> ) (39" x 43")
Machine Dimension (L x W x H)	800mm x 400mm x 1080mm (31" x 16" x 43") (Gluing machine)	800mm x 400mm x 1080mm (31" x 16" x 43") (Gluing machine)
	1040mm x 560mm x 1200mm (41" x 22" x 47") (Main engine)	1040mm x 560mm x 1200mm (41" x 22" x 47") (Main engine)
Power Supply	220V & 110V (Optional) 120W	220V & 110V (Optional) 120W
Machine Weight	88kg (Gluing machine)133kg (Main engine)	88kg (Gluing machine)133kg (Main engine)

**Price** **\$3,568** **\$3,746**



## SIC-HY-PMS12A: Photobook Mini Station

- This machine features a photobook mounting part and hard cover casing - in part, you can produce any book format from 50 x 50mm up to 305 x 305 mm (A4) and 80mm (3.1") thick.
- Tabletop in size, easy to use and economical, anyone can create a beautiful, professional photobook in minutes.
- Suitable for photographic paper, card, laminated material or any print for your pictures.

- On - Demand Photobook maker.
- Albums open flat - 180 degrees.
- The unique damping mounting lift makes the mounting easily and fast.
- Adopts the special process against tacky in mounting unit.
- Presets many register slots, convenient to make different size of albums.
- Equipped with deep magnet petitioners, suitable for many sizes of mounting sheets.
- Cover mounting unit makes the block and cover attaching precisely and fast.
- Designed for portable plate board, convenient to remove it while mounting the thicken cover.



## SIC-HY-PMS Series Photobook Mini Station

- Fast, precise, convenient and high quality photobook manufacture system.
- Tabletop in size, easy to use and economical, anyone can create a beautiful, professional Photobook in minutes.
- Adopts the special process against tacky in mounting unit.
- The unique damping mounting lift makes the mounting easily and fast.
- Equipped with cover localization guide rail and cover casing - in locator.
- Cover localization guide rail makes the block and cover attaching precisely and fast.
- Albums open flat - 180 degrees.
- Can produce any book format from 2" x 2" up to 12" x 12" (PMS18: up to 18" x 18") and 80mm thick.
- Suitable for photographic paper, card, laminated material or any print for your pictures.



### ▼ Specifications

Model	SIC-HY-PMS12	SIC-HY-PMS18
Maximum Print Size	321mm x 630mm (13" x 25")	457mm x 914mm (18" x 36")
Maximum Album Size	310mm x 316mm (12" x 12")	457mm x 457mm (18" x 18")
Minimum Album Size	50mm x 50mm (2" x 2")	50mm x 50mm (2" x 2")
Maximum Binding Thickness	80mm (3")	80mm (3")
Machine Dimension (L x W x H)	620mm x 510mm x 320mm (24" x 20" x 13")	760mm x 665mm x 330mm (30" x 26" x 13")
Machine Weight	19kg	25kg

**Price** **\$784** **\$898**

### ▼ Specifications

Model	SIC-HY-PMS12A
Maximum Print Size	321mm x 630mm (13" x 25")
Maximum Album Size	310mm x 316mm (12" x 12")
Minimum Album Size	50mm x 50mm (2" x 2")
Maximum Binding Thickness	80mm (3")
Machine Dimension (L x W x H)	670mm x 520mm x 310mm (26" x 20" x 12")
Machine Weight	26kg

**Price** **\$898**

## SIC-HY-NCB55A: 435mm x 550mm (17" x 22") Automatic Perfect Binding Machine

### ▼ Main functions of the numerical control text display screen

- **Set up system parameter:** Book position, temperature of melting glue, temperature of keeping, spine nipping time and pressure, etc. Choose working mode (binding / hanging), and running mode (Manual / auto).
- **Set up craft parameter:** According to the real working condition, regulate thickness of the cover, working temperature, the amount of glue and book smoothness at any time to reach the best binding result.
- **Working state mode:** Showing the operation process real - timely and dynamically, from starting the machine to the binding, the steps all may be showed, and the operator can control the machine at any time. With binding quantity and job time showing, convenient to count work load and operating cost.
- **Warning mode:** Can auto - alarm when the machine breaks down in running, and show the trouble spot.
- The free rotary numerical control text display screen can be regulated the position according to the need. It is convenient to help operator adjust the operational parameter, observe the working state of the equipment in real time.

### ▼ Specifications

Model	SIC-HY-NCB55A
Maximum of Book Size	435mm x 550mm (17" x 22")
Minimum of Book Size	80mm x 60mm (3" x 2")
Book Thickness	2 sheets - 55mm (2.2")
Binding In-Page	Single Sheet - 2 fold out
Milling Cutter Mode	12 - gear disk milling cutter and small milling cutter
Time of Gluing	About 30min
Mechanical Speed	Up to 300 cycles / hr
Power Supply	220V
Machine Dimension (L x W x H)	1380mm x 680mm x 1200mm (54" x 27" x 47")
Machine Weight	205kg
<b>Price</b>	<b>\$8,065</b>



## SIC-HY-S320: 320mm (13") Perfect Binding Machine

- The compact S320 offers the advantages of perfect binding, combined in one economical, easy to operate.
  - It is the ideal machine for making books with either soft or hard covers, in the office, copy shop or small print room.
  - The binding speed is determined by the operator and binding thickness.
  - Standard type is right hand lever.
- And you can choose left hand lever. You can also choose to equip it with book desk for cold glue binding.



### ▼ Specifications

Model	SIC-HY-S320
Min-Max Binding Thickness	0.1 - 40mm (0.003" - 1.5")
Maximum Width of The Sheet	320mm x 235mm (13" x 9")
Maximum Cover Thickness	400g / m <sup>2</sup>
Time of Gluing	Ten minutes with temperature indicating lamp
Capacity Books/Hour	Up to 120
Power Supply	220V or 110V (Optional)
Machine Dimension (L x W x H)	670mm x 360mm x 500mm (26" x 14" x 20")
Machine Weight	32kg
<b>Price</b>	<b>\$645</b>

## SIC-HY-S320D: 320mm x 235mm (13" x 9") Perfect Binding Machine

### ▼ Dust - free spine roughening unit

- Paper binding and Jewelled binding in one machine.
  - Unlike other spine rougher that grinds the spine creating lots of noise and dust.
- Using this dust - free spine roughening unit, it opens the paper grain with very little noise and no paper dust. It makes the machine suitable for handling the most difficult papers and making the solid bound.



### ▼ Dust - free spine roughening unit feathers

- Two groups of roughening tooth with special angle and interval.
- Convenient to adjust the depth and angle of roughening.
- Grind the spine to strengthen the permeability of glue.
- Compress the spine into a shape of fan to increase the sticking surface.

### ▼ Specifications

Model	SIC-HY-S320D
Binding Thickness	0.1 - 40mm (0.003" - 1.5")
Maximum Width of The Sheet	320mm x 235mm (13" x 9")
Maximum Cover Thickness	400g / m <sup>2</sup>
Time of Gluing	Ten minutes with temperature indicating lamp
Capacity Books / Hour	Up to 120
Power Supply	220V or 110V (Optional)
Machine Dimensions (L x W x H)	790mm x 360mm x 500mm (31" x 14" x 20")
Machine Weight	33kg
<b>Price</b>	<b>\$717</b>

## &gt; Book Binding Machine &gt; Perfect binding machine

**SIC-HY-S460E: 460mm x 325mm (18" x 13") Perfect Binding Machine**

- It quickly produces hard and soft cover books as well as manager covers, tear - off pads and strip binding. The perfect binding is strong, square and affordable.
- The binding speed is determined by the operator and binding thickness.
- Standard type is right hand lever, but you can choose left hand lever. You can also choose to equip it with book desk for cold glue binding.

**▼ Specifications**

Model	SIC-HY-S460
Binding Thickness	0.1 - 40mm (0.003" - 1.5")
Maximum Width of The Sheet	460mm x 325mm (18" x 13")
Maximum Cover Thickness	400g / m <sup>2</sup>
Time of Gluing	Ten minutes with temperature indicating lamp
Capacity Books / Hour	Up to 120
Power Supply	220V or 110V (Optional)
Machine Dimension (L x W x H)	800mm x 395mm x 570mm (31" x 16" x 22")
Machine Weight	35kg
<b>Price</b>	<b>\$831</b>

**SIC-HY-S460D: 460mm x 325mm (18" x 13") Perfect Binding Machine (Dust - free Spine Roughening Unit)**

Unlike other spine rougher that grinds the spine creating lots of noise and dust. Using this dust - free spine roughening unit, it opens the paper grain with very little noise and no paper dust. It makes the machine suitable for handling the most difficult papers and making the solid bound.

**▼ Dust - free spine roughening unit features**

- Two groups of roughening tooth with special angle and interval.
- Convenient to adjust the depth and angle of roughening.
- Grind the spine to strengthen the permeability of glue.
- Compress the spine into a shape of fan to increase the sticking surface.

**▼ Specifications**

Model	SIC-HY-S460D
Binding Thickness	0.1 - 40mm (0.003" - 1.5")
Maximum Width of The Sheet	460mm x 325mm (18" x 13")
Maximum Cover Thickness	400g / m <sup>2</sup>
Time Of Gluing	Ten minutes with temperature indicating lamp
Capacity Books / Hour	Up to 120
Power Supply	220V or 110V (Optional)
Machine Dimension (L x W x H)	930mm x 395mm x 580mm (37" x 16" x 23")
Machine Weight	42kg
<b>Price</b>	<b>\$863</b>





## > Book Binding Machine > Book hard cover maker

### SIC-HY-SK530: 530mm x 370mm (21" x 15") Hard Cover Maker

- This machine is designed for compact table - top unit, position the cover sheet with side guide, the sizes of finished hard cover can reach A4 format.
- Work table of subdued light transmitting type.
- Side positioning, standard position - setting between the paper board and cover.
- Standard, normative, precise and high - speed manufacture of hardcover book case can be achieved by combinative use of our hardcover size online calculating serial products.

#### ▼ Specifications

Model	SIC-HY-SK530
The Size of Operation Desk	530mm x 370mm (21" x 15")
Maximum Size of Product	A4+ landscape size
Power Supply	220V / 110V (Optional)
Machine Dimensions (L x W x H)	760mm x 450mm x 250mm (30" x 18" x 10")
Machine Weight	19kg
The Thickness of Board	0.5mm - 6mm (0.02" - 0.23")
<b>Price</b>	<b>\$244</b>



### SIC-HY-SK530A: 530mm x 370mm (21" x 15") Hard Cover Maker



#### Negative Pressure - and - Adsorption Working Table & Centralized Positioning

- Suitable for the making of the book case of the hardcover, photo album and picture album.
- The light table includes suction assistance for placing the tacking papers, as well as a center scaled line and a top line for the most accurate settings.

#### ▼ Specifications

Model	SIC-HY-SK530A
The Size of Operation Desk	530mm x 370mm (21" x 15")
Maximum Size of Product	A4 + landscape size
Power Supply	220V / 110V (Optional)
Machine Dimensions (L x W x H)	780mm x 450mm x 250mm (31" x 18" x 10")
Machine Weight	20kg
The Thickness of Board	0.5mm - 6mm (0.02" - 0.23")
<b>Price</b>	<b>\$448</b>

### SIC-HY-SK530B: 530mm x 420mm (21" x 16") Hard Cover Maker

#### Adsorption Working Table & Centralized Positioning & Corner Cutting & Electric Edge Folding

- Applicable for manufacturing hardcover book cases of hardcovers, albums, photograph album, picture album, etc.
- Positioning, corner cutter, electric edge folder in one machine.

#### ▼ Specifications

Model	SIC-HY-SK530B
The Size of Operation Desk	530mm x 420mm (21" x 16")
Maximum Size of Product	A4 + landscape size
Power Supply	220V / 110V (Optional)
Machine Dimensions (L x W x H)	850mm x 540mm x 340mm (33" x 21" x 13")
Machine Weight	45kg
The Thickness of Board	0.5mm - 6mm (0.02" - 0.23")
<b>Price</b>	<b>\$1,546</b>



## SIC-JY-SK950C: 980mm x 466mm (38" x 18") Hard Cover Maker

### Literature Table & Adsorption Working Table & Centralized Positioning & Corner Cutting & Electric Edge Folding

- Applicable for manufacturing hardcover book cases of hardcovers, albums, photograph album, picture album, etc.
- Positioning, corner cutter, electric edge folder in one machine.
- Flexible and fast to change the different version of spine guides, easy to create many fully decorated hard cases as hard cover books, CD and DVD boxes, photo albums, restaurant menus, etc.
- Light table with center positioning line labels the reference meshed line for variety of formats with suction assistance for placing the tacking paper, you can position the cover accurately and quickly.
- A corner cutter allows you to cut the four corners of different thickness of cardboard in an even and accurate way.
- A user - friendly electric edge folder also makes the hard cover even more standardized.
- The original design allow not only to create book covers, but also any other fully decorated hard cases: CD and DVD boxes, restaurant menus and so on. You just need to change the two spine guides from a 8mm (0.31") - groove to a 3mm one.

#### ▼ Specifications

Model	SIC-JY-SK950C
The Size of Operation Desk	980mm x 466mm (38" x 18")
Maximum Size of Product	A3 + landscape size
Power Supply	220V / 110V (Optional)
Machine Dimensions (L x W x H)	1140mm x 680mm x 1040mm (45" x 27" x 41")
Machine Weight	112kg
Standard Accessory	8mm (0.3") paper guide - Long
<b>Price</b>	<b>\$2,386</b>



## SIC-HY-SKJ950B: 980mm x 466mm (38" x 18") Hard Cover Maker

### Adsorption Working Table & Centralized Positioning & Corner Cutting & Electric Edge Folding

- Applicable for manufacturing hardcover book cases of hardcovers, albums, photograph album, picture album, etc.
- Positioning, corner cutter, electric edge folder in one machine.
- SKJ950B is designed for table - top unit without the base cabinet. All the other features are the same as SKJ950B style.



#### ▼ Specifications

Model	SIC-HY-SKJ950B
The Size of Operation Desk	980mm x 466mm (38" x 18")
Maximum Size of Product	A3 + landscape size
Power Supply	220V / 110V (Optional)
Machine Dimensions (L x W x H)	1100mm x 670mm x 380mm (43" x 26" x 15")
Machine Weight	82kg
The Thickness of Board	0.5mm - 6mm (0.02" - 0.23")
<b>Price</b>	<b>\$1,971</b>

## SIC-JY-SK950B: 980mm x 466mm (38" x 18") Hard Cover Maker

- Applicable for manufacturing hardcover book cases of hardcovers, albums, photograph album, picture album, etc.
- Positioning, corner cutter, electric edge folder in one machine.
- With suction assistance for placing the tacking paper, you can position the cover accurately and quickly.
- A corner cutter allows you to cut the four corners with different thickness of cardboard in an even and accurate way.
- A user - friendly electric edge folder also makes the hard cover even more standardized.



#### ▼ Specifications

Model	SIC-HY-SK950B
The Size of Operation Desk	980mm x 466mm (38" x 18")
Maximum Size of Product	A3 + landscape size
Power Supply	220V / 110V (Optional)
Machine Dimensions (L x W x H)	1180mm x 670mm x 1070mm (46" x 26" x 42")
Machine Weight	109kg
The Thickness of Board	0.5mm - 6mm (0.02" - 0.23")
<b>Price</b>	<b>\$2,195</b>

### SIC-HY-430M: 430mm (17") Manual Paper Guillotine



- Specially designed for use in office, large administrative, copy centers, copy shops, in-house printing offices and small print shops.
- Manual fast flick action clamp. Spindle guided back gauge.
- Side lay with measuring scale. Blade from high quality steel.
- Fine adjustment of measurement with calibrated scale on the back gauge handle.
- Blade lock and safety guard on front table.
- Adjustable blade depth. Easy and simple blade change.
- Blade changing device with covered cutting edge.
- 430mm (17") cutting length for paper sizes up to A3.

#### ▼ Specifications

Model	SIC-HY-430M
Maximum Cutting Length	430mm (17")
Maximum Cutting Height	40mm (1.5")
Insertion Depth	430mm (17")
Machine Weight	53kg
Machine Dimension (L x W x H)	730mm x 610mm x 1020mm (29" x 24" x 40")
<b>Price</b>	<b>\$735</b>

### SIC-HY-480M: 480mm (19") Manual Guillotine

- Powerful guillotine for manual operation with 475mm (19") cutting length and a cutting height of 80mm (3").
- A precise measuring scale is on the front machine table, the spindle guided backgauge with hand crank allows a precise adjustment of the desired measures.
- Specially designed for use in office, large administrative, copy centers, copy shops, in-house printing offices and small print shops.
- 480mm cutting length for paper sizes up to A3. Manual spiral action clamp. Spindle guided back gauge.
- Side lay with measuring scale.
- Fine adjustment of measurement with calibrated scale on the back gauge handle.
- Easy and simple for blade change.
- Adjustable blade depth.
- Blade lock and safety guard on front table.
- Blade from high quality steel.
- Blade changing device with covered cutting edge.

#### ▼ Specifications

Model	SIC-HY-480M
Maximum Cutting Length	475mm (19")
Maximum Cutting Height	80mm (3")
Insertion Depth	455mm (18")
Machine Weight	83kg
Machine Dimension (L x W x H)	780mm x 750mm x 1200mm (31" x 30" x 47")
<b>Price</b>	<b>\$1,443</b>



### SIC-HY Series Electric Paper Guillotine

- Specially designed for use in office, large administrative, copy centers, copy shops, in-house printing offices and small print shops.

#### ▼ Specifications


Model	SIC-HY-4310	SIC-HY-4810
Maximum Cutting Length	430mm (17")	475mm (19")
Maximum Cutting Height	40mm (1.5")	80mm (3")
Insertion Depth	430mm (17")	455mm (18")
Machine Weight	102kg	173kg
Machine Dimension (L x W x H)	660mm x 750mm x 1150mm (26" x 29" x 45")	760mm x 850mm x 1250mm (30" x 33" x 49")
<b>Price</b>	<b>\$1,896</b>	<b>\$3,591</b>

**SIC-HY-HBP460: 460mm (18") Desktop Manual Pressing Machine**

- It is made of stainless steel, height and pressure can be adjusted by hand wheel.
- Most pressure can reach up to two ton.
- Manual, simple and high cost performance.

**▼ Specifications**

Model	SIC-HY-HBP460
Flatten Area	460mm x 350mm (18" x 14")
Flatten Height	70mm (3")
Machine Weight	52kg
Machine Dimension	530mm x 350mm x 300mm (21" x 14" x 12")
<b>Price</b>	<b>\$443</b>

**SIC-HY-HBP500: 500mm (19") Manual Pressing Machine**

- It is made of stainless steel, height and pressure can be adjusted by hand wheel.
- Most pressure can reach up to two ton.
- Manual & simple.

**▼ Specifications**

Model	SIC-HY-HBP500
Flatten Area	500mm x 450mm (19" x 18")
Flatten Height	500mm (19")
Machine Weight	110kg
Machine Dimension	610mm x 450mm x 950mm (24" x 18" x 37")
<b>Price</b>	<b>\$784</b>

**SIC-HY-EP460: 440mm (17") Desktop Electric Pressing Machine**


- Designed for Table top and electronic, easy to handle.
- Adopts frequency conversion and stainless steel brake motor, which ensures the optimal flattening effect of album and avoids uncontrollable flattening effect of ordinary pressing machines resulting from their squeezing pressure generally unable to change gradually.

**▼ Specifications**

Model	SIC-HY-EP460
Flatten Area	440mm x 300mm (17" x 12")
Flatten Height	70mm (3")
Machine Weight	95kg
Machine Dimension	530mm x 340mm x 490mm (21" x 13" x 19")
Power Supply	220V / 110V (Optional)
<b>Price</b>	<b>\$1,125</b>

**SIC-HY-EP530: 530mm (21") Electric Pressing Machine**

- Used for pressing the album, photo book and menu.
- A brake motor of frequency conversion is adopted, which makes the pressure adaptable. This may ensure the optimal flattening effect of album and avoid uncontrollable flattening effect of ordinary pressing machines resulting from their squeezing pressure generally unable to change gradually.

**▼ Specifications**

Model	SIC-HY-EP530
Flatten Area	530mm x 410mm (21" x 16")
Flatten Height	800mm (31")
Machine Weight	220kg
Machine Dimension	530mm x 530mm x 1600mm (21" x 21" x 63")
Power Supply	220V / 110V (Optional)
<b>Price</b>	<b>\$1,852</b>





### SIC-HY-JY520: 520mm (20'') Vertical Joint Pressing

- It is suitable for molding the French joint on the hard cover books.
- The temperature is controlled by eight - figure microcomputer chips, it is displayed by digital adjusting device with three - figure.
- The gas feed structure facilitates the operation, which makes the machine work more steadily and the pressure better proportioned.
- The temperature, pressure, and position of the groove can be set and adjusted. The groove can be positioned by light.

#### ▼ Specifications

Model	SIC-HY-JY520
Maximum Pressing Width	520mm (20'')
The Power of Heat-Up	2 x 250W
Power Supply	220V / 110V (Optional)
Machine Weight	52kg
Machine Dimension	630mm x 450mm x 1150mm (25" x 18" x 45")
<b>Price</b>	<b>\$920</b>

### SIC-HY-QJY520: 520mm (20'') Vertical Pneumatic Joint Pressing Machine



- It is suitable for molding the French joint on the hard cover books.
- Based on SIC-HY-JY520, it is equipped the air system and with by foot in pneumatic way, which is convenient to adjust the pressure through the button on the machine panel.
- The running of the machine is controlled by the electromagnetism valve.
- The temperature, pressure, and position of the groove can be set and adjusted. The groove can be positioned by light.

#### ▼ Specifications

Model	SIC-HY-QJY520
Maximum Pressing Width	520mm (20'')
The Power of Heat-Up	2 x 250W
Power Supply	220V / 110V (Optional)
Machine Weight	65kg
Machine Dimension	630mm x 450mm x 1150mm (25" x 18" x 45")
<b>Price</b>	<b>\$1,005</b>



### SIC-HY-JY520E: 520mm (20'') Table - top Electric Joint Pressing Machine



- It is suitable for molding the French joint on the hard cover books.
- On the basis of SIC-HY-JY520, it is upgraded from foot operated to electrical and designed for table - top unit.
- Adopt electro type control system which is more accurate and convenient to adjust the pressure.
- The temperature, pressure, and position of the groove can be set and adjusted. The groove can be positioned by light.

#### ▼ Specifications


Model	SIC-HY-JY520E
Maximum Pressing Width	520mm (20'')
The Power of Heat-Up	2 x 250W
Power Supply	220V / 110V (Optional)
Machine Weight	55kg
Machine Dimension	630mm x 450mm x 580mm (25" x 18" x 23")
<b>Price</b>	<b>\$920</b>

## SIC-HY-CCPE Series Multi - purpose Creasing Machine

- Single Creasing, spine and hinge creasing, perforating and slitting available in one machine.
- It is convenient and fast to assemble, disassemble or locate the modules. The motor can be operated by pedal or automatic mode switch.
- Electric powered. Creasing, perforating and slitting covers up to 650mm (25") in width.
- It is equipped with safety cover with an open - stop relay, safe and reliable.
- Many modules can be assembled for different needs of paper finishing.
- Produce 6 creases (Spine, hinge and overhang cover edges) at the same time.
- Designed for adjusting pressure outside, convenient to adjust the pressure of two ends.

### ▼ Specifications

Model	SIC-HY-CCP600E	SIC-HY-CCP650E
Infeed Width	630mm (25")	650mm (25")
Paper Weight	up to 400g / sq. m	80 - 400g / sqm
Creasing Mode	Electric	Electric
Power Supply	220V or 110V (Optional)	220V or 110V (Optional)
Machine Dimension	740mm x 460mm x 175mm (29" x 18" x 7")	740mm x 460mm x 175mm (29" x 18" x 7")
Machine Weight	35kg	35kg
<b>Price</b>	<b>\$893</b>	<b>\$958</b>



Normally, it comes with 2 modules of paper guide wheel and an individual single creasing module.

Choose the module as needed: Single line creasing module, Spine and hinge creasing module, slitting module and blade, perforating module and blade, paper guide wheel.

## SIC-HY-EC520: 520mm (20") Electric Creasing Machine

- It has extremely good effect upon dealing with the heat - laminated paper, and also can avoid the phenomenon of striping and edge bursting to the greatest extent.
- It provides 2 creasing widths as standard, with the ability to change from one to another in seconds.
- Designed for heating type, heating temperature is limitless adjustable within 99°C.



SIC-HY-EC520R is equipped with foot switch; it has the function of SIC-HY-EC520. Extremely good effect upon dealing with the heat - laminated paper, and also can avoid the phenomenon of striping and edge bursting to the greatest extent.

### ▼ Specifications

Model	SIC-HY-EC520	SIC-HY-EC520R
Maximum Creasing Width	520mm (20")	520mm (20")
Length of Orientation	530mm (21")	530mm (21")
Maximum Orientation Lines	2 lines	2 lines
Power Supply	220V or 110V (Optional)	220V or 110V (Optional)
Machine Dimension	800mm x 630mm x 230mm (31" x 25" x 9")	800mm x 630mm x 230mm (31" x 25" x 9")
Machine Weight	35kg	35kg
<b>Price</b>	<b>\$963</b>	<b>\$1,075</b>

## SIC-HY-DC Series Manual Creasing Machine

- Aluminum speed stops, DC series creasing machine are more convenient and flexible to locate the paper sheet.
- Ease to complete the single crease, double creases and Z folding.

### ▼ Specifications

Model	SIC-HY-DC355	SIC-HY-DC460
Creasing Width	355mm (14")	460mm (18")
Length of Orientation	320mm (12")	330mm (13")
Positioning Mode	Slide backstops	Slide backstops
Maximum Orientation Lines	2 lines	2 lines
Machine Dimension	600mm x 380mm x 170mm (24" x 15" x 7")	600mm x 500mm x 180mm (24" x 20" x 7")
Machine Weight	10kg	13kg
<b>Price</b>	<b>\$134</b>	<b>\$179</b>



## SIC-HY-HCP315: 315mm (12") Creasing & Perforating Machine

Perforates up to 250gsm paper. Perforates for food coupons, vouchers, etc.

- A millimeter scale is running along the sides of its base. It is used to adjust the front, rear, and angular stop. In the process of creasing, the paper weight can up to 400gsm. The width of crease is 1.2mm / 1.8mm. The weight of the machine is only 11.5kg. It is convenience for transformation.
- It offers great quality creasing and perforating of single sheets, for smooth folds and clean tear off.
- 0 - 90 degree creasing & perforating angle. Simple manual adjustment required to change codes.
- The mechanism is working with a knife and a v - shaped counter knife in order to be very smooth.

### ▼ Specifications

Model	SIC-HY-HCP315
Maximum Creasing Width	315mm (12")
Maximum Paper Thickness (Crease)	400g / sqm
Maximum Paper Thickness (Perforate)	250g / sqm
Creasing & Perforating Angle	0 - 90 degree
Machine Dimension	500mm x 380mm x 95mm (20" x 15" x 4")
Machine Weight	11.5kg
<b>Price</b>	<b>\$375</b>



## SIC-HY-CDP500: Printing Finish & Photography Equipment

Convenient to cut full page visit cards or irregular cards, it also can be used for making gift box, wine box, postcard, CD box, JIGSAW puzzle or any different individualized products.

- It features with die cutting and pressing. High - accuracy steel rod. Shows and regulates accurately with pressure indicator of both ends.
- Pedal control




### ▼ Specifications

Model	SIC-HY-CDP500
Maximum Working Width	500mm (20")
Minimum Distance Between Cylinders	26mm (1")
Maximum Distance Between Cylinders	30mm (1.2")
Paper Weight	Maximum 1000g / sq. m
Power Supply	220V / 110V (Optional)
Machine Weight	62kg
Machine Dimension	770mm x 735mm x 400mm (30" x 29" x 16")
<b>Price</b>	<b>\$1,523</b>

## SIC-HY-CPC480: 480mm (19") Multi - purpose Creasing Machine

- Single creasing, spine and hinge creasing, perforating and slitting available in one machine.
- The motor can be operated by pedal or automatic mode switch. High - efficiently and speed - variable electromotor, LCD for machine operating speed, stepless regulation of speed.
- Equipped with individual modules, it is convenient and fast to assemble, disassemble or locate them, and also can combine them freely to crease, crease the spine and hinge, perforate and trim according to the requirements.
- Designed for adjusting pressure outside, convenient to adjust the pressure of two ends.
- With an individual rush stop switch, it is more safe and reliable to avoid the appearance of any hidden danger.
- Adjustable feeder and fine adjusting knob outside. Easy to position centering or leaning.
- The hanging type of delivery section is designed for magnetism sucking positioning by the sides and knob fastening by the back end.
- Normally equipped with paper downholders, or with metal block optional.
- Adopts the stainless steel material; it is perfect, wear - resisting and beautiful.



### ▼ Specifications

Model	SIC-HY-CPC480
Maximum Width of the Sheet	480mm (19")
Rotate Speed	90 ~ 1400 / min
Shaft Diameter	36mm (1.4")
Power Supply	220V or 110V (Optional)
Machine Dimension	1150mm x 620mm x 300mm (45" x 24" x 12")
Machine Weight	41kg
<b>Price</b>	<b>\$2,825</b>

## &gt; Photo &amp; Card Cutter

**CS-AC-001: Semi - automatic Name Card Cutter**

This semi - automatic cutter is used for cutting business card. It's durable for the steel blade and the blade could be milled by itself to ensure it sharp.

- Durable blade, it's made of steel blade
- Time is saving and labor saving
- Semi - automatic, it's convenient to use
- High precision, reasonable structure to ensure the card is cut accurately

**▼ Specifications**

Model	CS-AC-001
Paper Size	A4 (210mm x 297mm) (8" x 12")
Size of Name Card	90mm x 54mm (3.5" x 2.1")
Life - span for Blade	≥ 100,000 times
Cutting Speed	30pcs / min
G.W.	41.4Ib (18.8kg)
MOQ	4sets
<b>Price</b>	<b>\$134 / set</b>

**CS-SSA Series Multi - function Full - auto Card Cutter**

CS-SSA-001

This full - automatic cutter is used for cutting business card, photos and several of certificate cards, etc.

**Available size:** A4, A3, A3+

- Durable blade, it's made of steel blade
- Time saving and labor saving
- Multi-function full - automatic, it's convenient to use
- High Precision, reasonable structure to ensure the card is cut accurately
- Electronic eye induction system and microcomputer control
- Unique unitary design of longitudinal cutter case, fast to replace



CS-SSA-002



CS-SSA-003

**▼ Specifications**

Model	CS-SSA-001	CS-SSA-002	CS-SSA-003
Paper Size	A4 (210mm x 297mm) (8" x 12")	A3 (297 x 420mm)(12" x 16.5")	A3 (297mm x 420mm) (12" x 16.5") A3+ (320mm x 480mm) (12" x 19")
Size of Name Card	(85mm / 89mm / 90mm) x (40mm - 150mm) (3.3" / 3.5" / 3.6") x (1.6" - 5.9")		
Thickness of Paper	0.2mm (0.008") (180g / sqm) - 0.35mm (0.013") (350g / sqm)		
Loading of Paper	12pcs		
Life - span for Blade	≥ 100,000 times		
Cutting Speed	30pcs / min	67pcs / min for card	100pcs / min for card
Dimensions	430mm x 385mm x 220mm (17" x 15" x 8")	570mm x 490mm x 220mm (22" x 19" x 8")	570mm x 540mm x 280mm (22" x 21" x 11")
G.W.	55Ib (25kg)	68Ib (31kg)	94.6Ib (43kg)
MOQ	1set	1set	1set
<b>Price</b>	<b>\$1,157 / set</b>	<b>\$2,240 / set</b>	<b>\$2,910 / set</b>



> Photo & Card Cutter

**CS-D-001: Flat Three - outlet PVC card Cutter**

- Insert the card from any sides except the side with handle
- Smart, convenient and sharp
- Customized size is available



▼ Specifications

Model	CS-D-001
Size	85mm x 60mm (3.3" x 2.4")
N.W.	6.6Ib (3kg)
MOQ	6pcs
Price	\$81 / pc

**CS-D-009: Name Card Cutter (Round Corner)**

- Cut name card with round corner
- Smart, convenient and sharp
- Customized size is available



▼ Specifications

Model	CS-D-009
Size	88mm x 60mm (3.5" x 2.4")
N.W.	9Ib (4.1kg)
MOQ	8pcs
Price	\$38 / pc

**CS-D-011: Name Card Cutter (Round Corner)**

- Cut name card with round corner
- Supply various sizes
- Customized size is available




▼ Specifications

Model	CS-D-011
Size	86mm x 54mm (3.4" x 2.1")
N.W.	9Ib (4.1kg)
MOQ	8pcs
Price	\$38 / pc

**CS-D-0012: PVC Card Cutter**

- Cut PVC card
- Higher pressure and bigger power
- Stable and durable
- Customized size is available



▼ Specifications

Model	CS-D-0012
Size	85.5mm x 54mm (3.4" x 2.1")
N.W.	28.2Ib (12.8kg)
MOQ	5pcs
Price	\$95 / pc

CS-F-001



**CS-E Series TABLE - TYPE Photo Cutter**

- With correct and convenient orientation
- Cutting photo within the scope of 1 to 3 inch
- No rough edges on the finished products
- An ideal tool of cutting all kinds of photos

▼ Specifications

Model	Working Size	Angle Type	MOQ	Remark	Price
CS-F-001	25mm x 25mm (0.98" x 0.98"), 30mm x 40mm (1.2" x 1.6")	Right or round corner	10pcs	Many sizes	\$33 / pc
CS-F-002	35mm x 45mm(1.4" x 1.8"), 40mm x 54mm (1.6" x 2.1")	Right or round corner	10pcs	Many sizes	\$33 / pc

CS-F-002



## &gt; Photo &amp; Card Cutter

**CS-E Series HAND - TYPE Photo Cutter**

- With correct and convenient orientation
- Cutting photo within the scope of 1 to 3 inch
- No rough edges on the finished products
- An ideal tool of cutting all kinds of photos



CS-E-002



CS-E-003



CS-E-004



CS-E-005



CS-E-005

**▼ Specifications**

Model	Working Size	Angle Type	MOQ	Remark	Price
CS-E-002	25mm x 25mm (0.98" x 0.98"), 32mm x 32mm (1.20" x 1.20")	Right or round corner	10pcs	Many sizes	\$14 / pc
CS-E-003	35mm x 45mm (1.40" x 1.80"), 50mm x 50mm (1.90" x 1.90")	Right or round corner	10pcs	Many sizes	\$16 / pc
CS-E-004	50mm x 70mm (1.90" x 2.70"), 50.8mm x 73mm (2.00" x 2.90")	Right or round corner	10pcs	Many sizes	\$21 / pc
CS-E-005	32mm x 22mm (1.20" x 0.80"), 35mm x 45mm (1.40" x 1.80")	Right or round corner	10pcs	Many sizes	\$21 / pc

> Laminator

Please refer to the contents on page 046 ~ 058.

### FMJ-II Series Electric Cold Laminator

Driven by electric or manual (For option)

No auto rewind shafts, no need to heat, include stand

Available in 1000mm, 1300mm model

This model at a price that fit your budget and guarantees a qualified result

- Electric operation. The easy speed control makes your daily job handlier.
- It comes with foot pedal with forward and reverse control to free your hands to handle the work being processed.
- This unit is great for mounting print to boards, applying application tapes, applying double side, adhesives and vinyl, save time and no hassles.

▼ Specifications

Model	FMJ-1000-II	FMJ-1300-II
Max. Laminating Width	1000mm (40")	1300mm (51")
Max. Laminating Thickness	15mm (0.6")	15mm (0.6")
Laminating Speed	0-5m (197") / min	0-5m (197") / min
Forward / Reverse	Yes	Yes
Foot Pedal	Yes	Yes
Roller's Diameter	90mm (3.5")	90mm (3.5")
Auto Rewind Liner Pickup	No	No
Media Core Size	3"	3"
Power	The voltage is up to the local requirement, like AC80V - 110V, AC220V - 240V, 50 / 60Hz	
Machine Weight	87kg	90kg
Machine Dimension	1160 x 520 x 850mm (46" x 20" x 33")	1420 x 600 x 995mm (60" x 24" x 39")
<b>Price</b>	<b>\$674</b>	<b>\$736</b>



### FMJ-650: Manual Cold Laminator

For photographic, AD. shop and copy shop to do laminating work.

Adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, and indoor advertising product.

No need to heat, no motor driving, no auto rewind shafts.

- Easy operation, simple structure.
- This model is designed for mounting and laminating inkjet prints, but is equally capable of handling photographic or any printed media.



▼ Specifications

Model	FMJ-650
Maximum Laminating Width	650mm (26")
Maximum Laminating Thickness	10mm (0.4")
Laminating Speed	Up to the operator
Roller's Diameter	65mm (2.6")
Floor Stand	No
Machine Weight	24kg
Machine Dimension	840 x 350 x 360mm
<b>Price</b>	<b>\$203</b>

### FMJ-650-II Plus: Desktop Electric Cold Laminator

Table Top Model, driven by electric or by hand (For optional). No need to heat, no auto rewind shafts.

- The mounting master 26" is motorized table top laminators. Simple structure, portable machine.
- It comes with foot pedal with forward and reverse control to free your hands to handle the work being processed.
- The easy speed control makes your daily job more handly, laminating speed can be easily adjusted from 0 - 3m (118") / min.
- This model is designed for mounting and laminating inkjet prints, but is equally capable of handling photographic or any printed media.

FMJ-650-II plus is upgraded from FMJ-650-II, it has all functional characteristics of FMJ-650-II, and comes with support shaft for using manual rewind the backing paper in some projects.



▼ Specifications

Model	FMJ-650-II	FMJ-650-II plus
Maximum Laminator Width	650mm(26")	650mm(26")
Roller's Diameter	65mm(2.6")	65mm(2.6")
Maximum Laminating Thickness	10mm(0.4")	10mm(0.4")
Laminating Speed	From 0 to 3m (118") per minute	From 0 to 3m (118") per minute
Foot Pedal	Yes	Yes
Forward / Reverse	Yes	Yes
Auto Rewind Shafts	No	Yes
Power	110V 50 / 60HZ. 3A	110V 50 / 60HZ. 3A
Machine Weight	26kg	29.4kg
Machine Dimension	850 x 360 x 370mm (33" x 14" x 15")	860 x 360 x 370mm (34" x 14" x 15")
<b>Price</b>	<b>\$255</b>	<b>\$398</b>

## CS-LK-GP Series Professional Glossy Photo Paper

- The paper is coated with PE layer both sides first, the surface is brighter. Meantime it is water resistant and anti - scratch.
- Both pigment ink and water - based dye ink are suitable.
- Widely used for water - based dye or pigment ink - jet printers such as Epson, HP, Cannon, etc.



### ▼ Specifications

Model	Size	GSM	Qty	Suitable Printer	MOQ	Price
CS-LK-GP-01	A4	260g / sqm	20 sheets / parcel	Epson, HP, Cannon	10 parcels	\$5.07 / parcel
CS-LK-GP-02	89mm x 127mm (3.5" x 5")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$4.82 / parcel
CS-LK-GP-03	102mm x 152mm (4" x 5.9")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$5.90 / parcel
CS-LK-GP-04	127mm x 178mm (5" x 7.0")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$7.64 / parcel

## CS-LK-MP Series Crystal Semi - Glossy Photo Paper

- Semi - glossy, high resolution and professional prints deliver the true look and feel of traditional glossy photo - graphs.
- Scratch resistance water - resistant and quick dry surface.
- The paper is coated with PE layer both sides first, the surface is brighter. Meantime it is water resistant and anti - scratch.
- Both pigment ink and water - based dye ink are suitable.
- Widely used for water - based dye or pigment ink - jet printers such as Epson, HP, Cannon, etc.



### ▼ Specifications

Model	Size	GSM	Qty	Suitable Printer	MOQ	Price
CS-LK-MP-01	A4	260g / sqm	20 sheets / parcel	Epson, HP, Cannon	10 parcels	\$5.16 / parcel
CS-LK-MP-02	89mm x 127mm (3.5" x 5.0")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$4.91 / parcel
CS-LK-MP-03	102mm x 152mm (4.0" x 5.9")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$5.98 / parcel
CS-LK-MP-04	127mm x 178mm (5.0" x 7.0")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$7.80 / parcel

## CS-LK-LP Series Lustre Glossy Photo Paper

- Lustre glossy surface, high resolution and professional prints deliver the true look and feel of traditional glossy photo - graphs
- Scratch resistance water - resistant and quick dry surface
- The paper is coated with PE layer both sides first, the surface has functions of water resistant and anti - scratch.
- Both pigment ink and water - based dye ink are suitable.
- Widely used for water - based dye or pigment ink - jet printers such as Epson, HP, Cannon, etc.



### ▼ Specifications

Model	Size	GSM	Qty	Suitable Printer	MOQ	Price
CS-LK-LP-01	A4	260g / sqm	20 sheets / parcel	Epson, HP, Cannon	10 parcels	\$5.16 / parcel
CS-LK-LP-02	89mm x 127mm (3.5" x 5.0")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$4.91 / parcel
CS-LK-LP-03	102mm x 152mm (4.0" x 5.9")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$5.98 / parcel
CS-LK-LP-04	127mm x 178mm (5.0" x 7.0")	260g / sqm	100 sheets / parcel	Epson, HP, Cannon	10 parcels	\$7.80 / parcel

## CS-LK-WP Series Glossy Photo Paper

- Excellent image definition and color saturation.
- Short drying time.
- Both pigment ink and water - based dye ink are suitable.
- Widely used for water - based dye or pigment ink - jet printers such as Epson, HP, Cannon, etc.



### ▼ Specifications

Model	Size	GSM	Qty	Suitable Printer	MOQ	Price
CS-LK-WP-01	A4	180g / sqm	20 sheets / parcel	Epson, HP, Cannon	10 parcels	\$3.22 / parcel
CS-LK-WP-02	A4	200g / sqm	20 sheets / parcel	Epson, HP, Cannon	10 parcels	\$3.27 / parcel
CS-LK-WP-03	A4	240g / sqm	20 sheets / parcel	Epson, HP, Cannon	10 parcels	\$3.33 / parcel

## CS-LK-NR Series Glossy Photo Paper for NORITSU

- High glossy, high resolution and professional prints deliver the true look and feel of traditional glossy photo - graphs.
- Scratch resistant and water - resistant ability and quick dry surface.
- Specially used for NORITSU series, such as D701, D502.

### ▼ Specifications

Model	Size	GSM	Qty	Suitable Printer	MOQ	Price
CS-LK-NR-01	102mm x 150m (4.0" x 5.9")	240g / sqm	1	NORITSU D701, D502	10 Rolls	\$35.55 / roll








## > Photo Studio Supplies > Photo laminating film

These films can add a protective layer on the photographs, pictures, illustrations, books.

They can also produce different visual or touch effects, available effects in glossy, matte, fine frosted shape, leather shape, diamond shape, wide cross shape, narrow cross shape, ellipse textile, magic shape, silk shape, stripe and so on. You can choose the right film according to your requirement.

Model	Name	Size	Price	Description
CS-ML-H-2801	 Glossy Film	25" / 36" x 34Y	\$1.6 / sq.m	This film is transparent and especially glossy without any lines, whose clarity rate can reach 100%. After laminating the film, the photo will be brighter and have a stronger sense of glossy, even seen at different angles.
CS-ML-H-2802	 Matte Film	25" / 36" x 34Y	\$1.6 / sq.m	This film is transparent on the surface and with a very delicate sense of hazy fog. After laminating the film, the photo looks more elegant and as if there are layers of mist gently separated from the pattern. This film, as the surface is composed of some super-fine sand, the sand is so small that generally the naked eye can not see any matte, if touching; we still can not feel rough, but a bit smoother.
CS-ML-H-2803	 Fine Frosted Shape Film	25" / 36" x 34Y	\$1.6 / sq.m	This film is transparent but matte, it also have the frosted feeling. After laminating, we can see the picture with the frosted shape by eyes, the original picture's saw tooth will be less, even disappears, and then the picture will be more clear.
CS-ML-H-2804	 Leather Shape Film	25" / 36" x 34Y	\$1.8 / sq.m	The surface has the leather-shape lines which are just like the wooden and leather. It is especially suitable for laminating the books' cover and can improve the quality of the cover. After laminating, we can see the leather texture clearly at different angles, and we will have the true and comfortable feeling of the leather.
CS-ML-H-2805	 Diamond Shape Film	25" / 36" x 34Y	\$1.8 / sq.m	This film is just like the natural diamond and can show irregular rhombus pattern. As there is a large number of irregular rhombus diamond on the same surface, the film will be thicker. When laminated, it will be particular stand, more solid than the normal film. We can see the clear diamond texture at different angles, moreover, when touching, we can have strong feeling of three-dimensional diamond.
CS-ML-H-2806	 Wide Cross Shape Film	25" / 36" x 34Y	\$1.6 / sq.m	This is named wide cross film, as it is composed of many interlocking cross-shaped texture. The surface looks like the woven fabrics, and the texture is close. This film is similar to the fabric patterns which are made by the machine.
CS-ML-H-2807	 Narrow Cross Shape Film	25" / 36" x 34Y	\$1.6 / sq.m	This is named narrow cross film, as it is composed of many interlocking cross-shaped texture. The surface looks like the woven fabrics, and the texture is close. This film is similar to the fabric patterns which are made by the machine.
CS-ML-H-2808	 Ellipse Textile Film	25" / 36" x 34Y	\$1.6 / sq.m	This film is composed of many small ellipse dots with different sizes, and the touch sense is very good.
CS-ML-H-2809	 Dot Textile Shape Film	25" / 36" x 34Y	\$1.8 / sq.m	This film is composed of many broken dots with different sizes, and the touch sense is very good.
CS-ML-H-2811	 Textile Shape Film	25" / 36" x 34Y	\$1.8 / sq.m	This film is composed of many lines which are composed of broken dots with the different sizes, and the lines are intertwined by the direction of latitude and longitude which makes the film is similar to the fabric patterns made by the machine. The touch sense is very good.

## &gt; Photo Studio Supplies &gt; Photo laminating film

These films can add a protective layer on the photographs, pictures, illustrations, books.

They can also produce different visual or touch effects, available effects in glossy, matte, fine frosted shape, leather shape, diamond shape, wide cross shape, narrow cross shape, ellipse textile, magic shape, silk shape, stripe and so on. You can choose the right film according to your requirement.

Model	Name	Size	Price	Description
CS-ML-H-2812	 Magic Shape Film	25" / 36" x 34Y	\$1.8 / sq.m	Someone calls it magic film, when touching it, it has a sense of subtle matte, but in the light, it can show the star magically.
CS-ML-H-2813	 Lozenge Pearl Shape Film	25" / 36" x 34Y	\$1.8 / sq.m	The surface is composed of many protruded Lozenge Pearl. Seeing from different directions, you will see the small Lozenge Pearl, it has the strong three-dimensional sense and toughing feeling.
CS-ML-H-2814	 Silk Shape Film	25" / 36" x 34Y	\$1.8 / sq.m	This film is composed of many lines which are composed of silk cross lines with the different sizes, and the lines are intertwined by the direction of latitude and longitude which makes the film is similar as the fabric patterns made by the machine. The touch sense is very good.
CS-ML-H-2815	 Stone & Cloud Film	25" / 36" x 34Y	\$1.6 / sq.m	The surface is composed of many stone and cloudy textures, and it has the strong sense of three-dimensional. After laminating, we can see the stone texture clearly even at different angle.
CS-ML-H-2816	 Stripe Film	25" / 36" x 34Y	\$1.8 / sq.m	This film is composed of many vertical lines with the same distance. It can show the star pattern shinning magically. You can see the three-dimensional vertical stripes even at different angle and feel it when touching.
CS-ML-H-MH24	 Star Laser Film	25" / 36" x 34Y	\$2.48 / sq.m	The film has the smooth and transparent surface, and some parts have the little and colorful particle.
CS-ML-H-MH50	 Plum-blossom Shape Laser Film	25" / 36" x 34Y	\$2.48 / sq.m	The surface is glossy and transparent, and local places hide bunches of radioactive light beam which is similar to the plum. After laminating, normally it is as clear as the 2801(without refraction) it will enhance the brightness of pictures, but seeing at different angles, you will see the plum blossom in full bloom one after another.
CS-ML-H-MH56	 Flame Shape Laser Film	25" / 36" x 34Y	\$2.48 / sq.m	The surface is glossy and transparent, and local places hide bunches of radioactive light beam which is similar to the fireworks. After laminating, normally it is as clear as the 2801(without refraction) it will enhance the brightness of pictures, but seeing from the different directions, you will see the fireworks blossom in full bloom one after another.
CS-ML-H-MH58	 Butterfly Shape Laser Film	25" / 36" x 34Y	\$2.48 / sq.m	The surface is glossy and transparent, and local places hide the pattern of butterfly. After laminating, normally it is as clear as the 2801(without refraction) it will enhance the brightness of pictures, but seeing from the different directions, you will see the butterfly flying and dancing.
CS-ML-H-MH59	 Heart Shape Laser Film	25" / 36" x 34Y	\$2.48 / sq.m	The surface is glossy and transparent, and local places hide the colorful heart-shaped pattern and circular pattern. After laminating, normally it is as clear as the 2801(without refraction) it will enhance the brightness of pictures, but seeing from the different directions, you will see the colorful hear-shaped pattern and circular pattern glittering.